

Rammer® RPV40S

STATIC PULVERIZER DEMOLITION TOOLS



The Rammer® RPV Static Pulverizer is ideally suited to a wide range of secondary demolition and recycling duties. The RPV range of models are designed for fast and effective material separation, a key aspect of the recycling process

APPLICATIONS



Demolition



Recycling

MAIN FEATURES AND BENEFITS

INCREASED PRODUCTIVITY

Shorter working cycles increases productivity

FIELD REPLACEABLE WEAR PARTS

Designed for quick and easy maintenance

RAMMER READY


Same bolt pattern as Rammer hammers

HEAVY DUTY COMPONENTS

Extreme durability for any application ensures long component life span



Rammer® RVP40S



Specifications

Minimum working weight	9220 lbs (4180 kg)
Weight	8510 lbs (3860 kg)
Max jaw opening	45.28" (1150 mm)
Jaw width	26" (660 mm)
Max operating pressure	4640 psi (320 bar)
Max diameter to be cut	2.56" (65 mm)
Cutting blade length	8.66" (220 mm)
Rotation	0°
Carrier weight range	77200 lbs - 99200 lbs (35-45 T)

Specifications are subject to change without notice



Developed and tested in the harshest of conditions, the foundations of Rammer products are quality, operational reliability and maximized productivity. Long working life and durability ensure our attachments can be used efficiently and economically no matter the challenge at hand, making Rammer a sustainable choice.

Sandvik Rock Processing Solutions

www.rammer.com